

Re-pairing DNA: binding of a ruthenium phi complex to a double mismatch

Article

Supplemental Material

Creative Commons: Attribution 3.0 (CC-BY)

Correction

Prieto, T. D., McQuaid, K. T. ORCID: <https://orcid.org/0000-0002-3222-5584>, Paterson, N. G., Cardin, D. J., Kellett, A. and Cardin, C. J. ORCID: <https://orcid.org/0000-0002-2556-9995> (2024) Re-pairing DNA: binding of a ruthenium phi complex to a double mismatch. Chemical Science, 15 (24). pp. 9096-9103. ISSN 2041-6539 doi: 10.1039/D4SC01448K Available at <https://centaur.reading.ac.uk/123034/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1039/D4SC01448K>

Publisher: Royal Society of Chemistry (RSC)

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *Chem. Sci.*, 2024, 15, 14988

DOI: 10.1039/d4sc90174f

rsc.li/chemical-science

Correction: Re-pairing DNA: binding of a ruthenium phi complex to a double mismatch

Taylor D. Prieto Otoyá,^a Kane T. McQuaid,^a Neil G. Paterson,^b David J. Cardin,^a Andrew Kellett^c and Christine J. Cardin^{*a}Correction for 'Re-pairing DNA: binding of a ruthenium phi complex to a double mismatch' by Taylor D. Prieto Otoyá et al., *Chem. Sci.*, 2024, 15, 9096–9103, <https://doi.org/10.1039/D4SC01448K>.

The authors regret that in the published version of the paper, the letters in Fig. 2b have shifted upwards on the left-hand side. The correct version of Fig. 2, with its caption, is given herein.




Fig. 2 (a) Structural formula of Δ -[Ru(phen)₂phi]²⁺; (b) schematic showing the re-pairing of the bases in the reported structure. The purple blocks highlight the binding sites of the complex. (c) Image showing the large DNA bending. The overall assembly, characterised by a twofold rotational symmetry. Each asymmetric unit is made up of a DNA single strand binding a Δ -[Ru(phen)₂phi]²⁺ with occupancy 1 and a Δ -[Ru(phen)₂phi]²⁺ with occupancy 0.5. The ruthenium complexes are shown in purple.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Chemistry, University of Reading, Whiteknights, Reading, RG6 6AD, UK. E-mail: c.j.cardin@reading.ac.uk^bDiamond Light Source Ltd, Harwell Science and Innovation Campus, Didcot, Oxfordshire, OX11 0DE, UK^cSSPC, The Science Foundation Ireland Research Centre for Pharmaceuticals, School of Chemical Sciences, Dublin City University, Glasnevin, Dublin 9, Ireland