

Community pharmacy and COVID-19 – the unsung heroes on our high-streets?

Article

Published Version

Creative Commons: Attribution-Noncommercial 4.0

Open Access

Parkhurst, C., Purewal, G. S. and Donyai, P. ORCID: <https://orcid.org/0000-0001-5403-6170> (2020) Community pharmacy and COVID-19 – the unsung heroes on our high-streets? *Journal of Patient Experience*, 7 (3). pp. 282-284. ISSN 2374-3735 doi: 10.1177/2374373520927638 Available at <https://centaur.reading.ac.uk/90490/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1177/2374373520927638>

Publisher: SAGE

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online

Community Pharmacy and COVID-19—The Unsung Heroes on Our High Streets

**Caroline Parkhurst, BPharm, PhD¹,
Gurinder Singh Purewal, MPharm¹,
and Parastou Donyai, BPharm, BSc(Psych), PhD¹**

Journal of Patient Experience
1-3
© The Author(s) 2020
Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/2374373520927638
journals.sagepub.com/home/jpx

Keywords

COVID-19, community pharmacy, medicines, clinician-patient relationship

Coronavirus disease 2019 (COVID-19) is a transmittable infection caused by a new coronavirus. In the majority of people, the disease causes mild to moderate respiratory symptoms, but COVID-19 can also cause severe symptoms and even death, especially in older people and those with underlying health conditions (1). The virus has been transmitting in the community and within families, including in the United Kingdom, and was categorized as a pandemic on March 11, 2020 (2). Understandably, countries around the world have escalated their responses to this global health emergency. In the United Kingdom, the government's aim has been to reduce the rate of virus transmission so that it takes place over months rather than weeks (3). This is to prevent the health services from becoming overwhelmed with multiple cases needing treatment all at the same time (4). The government's meaning of "health services" in this context, certainly at the start of the crisis, is the care given in hospitals by nurses and intensive care specialists. And in the community, mitigating the impact of COVID-19 has to date focused largely on general practitioners (GPs). This is unsurprising to those in the pharmacy profession who have long considered policy makers to overlook them (5). Yet, community pharmacists, a vital part of the health workforce and trusted by many people (6), are also facing huge additional pressures because of COVID-19 and struggle to highlight their plight.

An increasing number of people have been visiting community pharmacies during the COVID-19 pandemic. People are worried. Many are unable to see or contact their GP for reassurance because GP surgeries have been operating a closed-door policy. This means that the only health care professional available to many people is their community pharmacist. Some people are turning up for consultations with the pharmacist for more serious conditions which are usually dealt with by GPs.

Another increasingly problematic behavior is the stockpiling of medicines. Patients with chronic conditions who

rely on their prescriptions are reasonably worried, but some are inundating pharmacies with their requests. Stocking up on essential prescribed medicines coincides with an existing shortage problem with some medicines in the United Kingdom. People are also trying to obtain medicines that they have not needed for many years, such as inhalers for respiratory conditions, adding to supply problems and creating a huge increase in the volume of prescriptions to dispense (7). Some also want to stock up on over-the-counter remedies such as paracetamol (8). In the United Kingdom, there is also a national urge to mass-purchase hand sanitizers, nappies, and antimicrobial wipes. These behaviors have created the underpinnings of a perfect storm: countless fearful, stressed, and easily angered people coming to pharmacies, which remain open despite the obvious risks to staff's own health. In recognition of some of the additional demand on pharmacies, National Health Service (NHS) England has given permission to community pharmacies to close their doors for up to 2.5 hours per day, but as long as they remain open to the public during core hours. Pharmacists, the unsung heroes on our high streets, continue to serve their communities, but for how long?

One of the huge problems facing community pharmacies is the physical setup of practices. Despite the queues in some pharmacies, efforts at imposing social distancing are sometimes difficult to manage. Patients can speak directly to the counter assistants or ask to see the pharmacist who is often a short distance away in the dispensing area. This close proximity to patients places the community pharmacy workforce

¹ Department of Pharmacy, University of Reading, United Kingdom

Corresponding Author:

Parastou Donyai, University of Reading, Whiteknights House, Reading RG6 6AP, United Kingdom.
Email: p.donyai@reading.ac.uk



Creative Commons Non Commercial CC BY-NC: This article is distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 License (<https://creativecommons.org/licenses/by-nc/4.0/>) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed as specified on the SAGE and Open Access pages (<https://us.sagepub.com/en-us/nam/open-access-at-sage>).

in direct contact with anyone who may be infected with the coronavirus, thus posing a real risk of transmission. This was brought to the fore with the failure to assign personal protective equipment (PPE), such as masks, gloves, and eye protection to pharmacists (9). This places pharmacy teams under even more pressure as they feel they are risking their own health in already difficult circumstances. The NHS has suggested the use of face masks for teams that cannot ensure social distancing but as of mid-April had failed to provide these systematically. Many pharmacies have begun purchasing Perspex screens to shield their teams and providing PPE to their staff if they can manage to source these.

There is another staff-related quandary. The government guidelines in the United Kingdom are for individuals to self-isolate for 14 days in the event of a relevant illness within the home. At the time of writing this in April 2020, up to an estimated 15% of staff in community pharmacies were thought to be unable to attend work due to the coronavirus (10). This is particularly problematic as community pharmacies are often composed of a small team of specifically trained people (counter assistants, technicians, and pharmacist) and do not have the resilience or depth of trained staff to continue operating in the event of large absences. There is some guidance now to help pharmacies manage for short periods without a pharmacist—for example, to hand out already-prepared medicines or operate with a pharmacist at the end of a video-call—but only when all other options are exhausted. It is still possible for a pharmacy to have to close altogether if too many of its staff are absent at the same time. There are also reports of pharmacies closing to be deep-cleaned because of potential contamination. This has become a very difficult time for a sector that was already under a lot of pressure from closures and funding cuts. There is some relief after a recent promise of government funding to try and mitigate some of the impact of the coronavirus on community pharmacy, for example, to cover related closures and some of the cost of delivering medicines to people having to self-isolate. Since community pharmacies have long been running prescription pick-up (from doctors/electronically) and drop-off services for the elderly, this should mean that patients can continue to receive their medication.

But at the same time, there is a shortage of trained delivery drivers, many of whom are older people and may need to self-isolate or might become ill themselves. For delivering medicines, drivers have to be trained so pharmacies cannot easily employ emergency cover. Pharmacies are receiving increasing requests for deliveries, so sometimes they have to ask patients or their representatives to collect the medication instead. Delivery drivers too are rightfully worried. They find themselves phoning ahead of a delivery, ringing the doorbell, walking away, and observing the medicines being picked up from the doorstep. No paperwork is signed by patients to acknowledge receipt in case the virus is transmitted in the exchange.

Some pharmacists wonder how long this can continue, but they will keep going as they know that they are playing

a vital part in keeping people well in the community and reducing hospital admissions. There has been a focus in the UK press on people who have shouted abuse or complained about community pharmacy staff due to a combustible mix of fear and anger, maybe at the long waiting times or the pharmacy's inability to deliver. However, there are also many heart-warming stories of members of the public coming together to help their friends and neighbors while also helping pharmacy teams by collecting medication. This is reducing the pressure on deliveries. In some cases, local people are even volunteering to manage social distancing in the pharmacy queue. The authors thank all volunteers and the patients who have expressed their gratitude to pharmacy teams, which helps them to keep going.

As well as receiving help from volunteers, a number of recent policy changes will prove useful too. For example, pharmacy teams and their household contacts will be eligible for coronavirus tests to allow those without the infection to return to work. In addition, pharmacists will be able to order PPE from an NHS website. Pharmacists ideally want input into future policy changes before they are finalized, so that these can reflect capacity and preparedness on the ground and be publicized accurately. Medicines deliveries are a case in point: although the UK government is funding deliveries for “vulnerable people,” this is for a narrower group than most patients understand it to be, raising unrealistic expectations and leaving pharmacies to pay for a large number of the deliveries to placate patient concerns. No doubt formal extra recruitment into community pharmacies, whether via the recent government volunteer scheme (if volunteers are appropriately vetted and trained) or through additional monies, will also help meet some of the current challenges. Additional funding for community pharmacy is particularly needed at this time—the normal method of reimbursement for dispensing medicines is months in arrears, which is leaving many pharmacies with cash flow problems, unable to purchase new medicines, because of unprecedented increases in prescription numbers. The resulting drug shortages in some localities might also be better managed by addressing quotas imposed by manufacturers on community pharmacies. Finally, some pharmacies have called on GPs who are either closed or only offering limited services, to be clearer to patients on how they can order their prescriptions, to limit the unnecessary footfall in pharmacies.

Authors' Note

As this is a *perspective* piece, not a research paper, and does not draw on patient-specific data, no ethics approval or consent is applicable. Dr Caroline Parkhurst and Mr Gurinder Singh Purewal are community pharmacists and academic practitioners, meaning they spend some of their time working at the frontline of community pharmacy as well as being based at the University of Reading.

Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) received no financial support for the research, authorship, and/or publication of this article.

ORCID iD

Parastou Donyai  <https://orcid.org/0000-0001-5403-6170>

References

1. World Health Organization. Coronavirus. 2020. Retrieved April 6, 2020, from: https://www.who.int/health-topics/coronavirus#tab=tab_1
2. World Health Organization. WHO Director-General's Opening Remarks at the Media Briefing on COVID-19—11 March 2020. 2020. Retrieved April 6, 2020, from: <https://www.who.int/dg/speeches/detail/who-director-general-s-opening-remarks-at-the-media-briefing-on-covid-19—11-march-2020>
3. Department of Health and Social Care. Coronavirus (COVID-19) action plan—GOV.UK. 2020. Retrieved April 6, 2020, from: <https://www.gov.uk/government/publications/coronavirus-action-plan>
4. Hancock M. Health Secretary Matt Hancock's Sunday Telegraph Op-Ed—GOV.UK. 2020. Retrieved April 6, 2020, from: <https://www.gov.uk/government/news/health-secretary-matt-hancocks-sunday-telegraph-op-ed>
5. Collins A. Pharmacy overlooked in five of seven political manifestos. *Chemist+Druggist*. 2015. Retrieved April 6, 2020, from: <https://www.chemistanddruggist.co.uk/news/pharmacy-overlooked-five-seven-political-manifestos>
6. Ekenga V, Wheeler JB, Sarpong D, Hart T, Earls M. Patients' perception of community pharmacists as healthcare providers and willingness to participate in pharmacist services: a pilot study. *J Pharm Heal Serv Res*. 2018;9:297-300. doi:10.1111/jphs.12226
7. Wickware C, Robinson J. Asthma inhaler stocks low after COVID-19 linked demand spike, government says. *Pharm J*. 2020. doi:10.1211/PJ.2020.20207873
8. Andalo D. "Unprecedented demand" for OTC painkillers as COVID-19 outbreak spreads. *Pharm J*. 2020. doi:10.1211/pj.2020.20207830
9. Public Health England. Recommended PPE for ambulance staff, paramedics, first responders, other patient transport services and pharmacy staff. 2020. Retrieved April 6, 2020, from: <https://www.gov.uk/government/publications/wuhan-novel-coronavirus-initial-investigation-of-possible-cases/>
10. Wickware C. Up to 15% pharmacy staff off work in some chains owing to COVID-19. *Pharm J*. 2020. doi:10.1211/PJ.2020.20207875

Author Biographies

Caroline Parkhurst is a Professional Services Pharmacist at Day Lewis Plc and Superintendent Pharmacist of ABC Drugstores Ltd (a Day Lewis group company). She is also a Teacher Practitioner pharmacist at the University of Reading, specialising in law and ethics, community pharmacy services and undergraduate community pharmacy placements. She is a member of the Royal Pharmaceutical Society and a registrant with the General Pharmaceutical Council.

Gurinder Singh Purewal is Care Services Pharmacist at Walgreens Boots Alliance and Teacher Practitioner Pharmacist at the University of Reading. His interests include the prescribing of antipsychotics in care homes and poly-pharmacy in residents with dementia. Gurinder holds regular travel clinics and offers childhood vaccination services. He is a member of the Royal Pharmaceutical Society and a registrant with the General Pharmaceutical Council.

Parastou Donyai is professor of Social and Cognitive Pharmacy at the University of Reading and leads the Pharmacy Practice team. Parastou has worked in a variety of pharmacy settings in addition to academia, including community, hospital, primary-care, and the private-sector. She is an associate member of the College of Mental Health Pharmacy, a member of the British Psychological Society and the Royal Pharmaceutical Society, and a registrant with the General Pharmaceutical Council. Parastou specialises in the psychology and language of decisions about medication usage and non-usage.